

# City of Greensboro

## Water Resources Department

### Sewage Collection and Water Reclamation Plant Report for 2007

#### INTRODUCTION

The Clean Water Act of 1999 (House Bill 1160) requires all entities that own or operate wastewater collection and treatment systems to make an annual report available to their customers. The report must detail how a system operates, how well it performed during the year, what violations occurred, and other information. This report is produced in compliance with these requirements and covers the calendar year January - December 2007.

The City of Greensboro Water Resources Department operates two water reclamation plants and a sewage collection system that collects and transports the sewage to these two plants; some transfer of sewage occurs between the two plants. Following are the professionals designated by the state as the "Operators in Responsible Charge" (ORC) of the respective systems and permits for the systems:

North Buffalo Water Reclamation Facility  
Permit No. NC0024325, ORC Barbara Hicks, (336) 373-7850

T. Z. Osborne Water Reclamation Facility  
Permit No. NC0047384, ORC Walter Kling, (336) 433-7224

Sewage Collection System  
Permit No. WQCS00006  
ORC Rick Roberts, (336) 373-2033  
ORC Emory Stewart (336) 373-2033

This report is being made available at all City Water Resources Facilities, Libraries, the Melvin Municipal Office Building, and on the City's web site. All customers will be notified of its availability by a printed notice in water and sewer bills that are generated from April to June 2007. This report has been compiled by staff of the Water Resources Department and its approximate cost was \$1,000.

The information contained herein is accurate to the degree possible:



---

Allan E. Williams, Director of Water Resources

## System Overview

The sewage collection and water reclamation system of the City of Greensboro begins with approximately 95,980 connections that serve homes, commercial establishments, and industries. Every day an average of 29.4 million gallons of sewage is generated in our homes and industries that must be collected, transported, and treated to very stringent standards before it is released back into our environment (in our streams). This service is provided by the City's Water Resources Department and is funded almost entirely from the user charges that are paid either monthly or quarterly by our customers.

Nearly all of the sewage or wastewater that is generated by customers flows by gravity through sewers that range from 6 to 72 inches in diameter. Greensboro operates over 1,548 miles of these gravity sewer lines. As the lines leave neighborhoods they increase in size to accommodate the flows that are collected from the many areas that are served. These sewers generally follow terrain to take advantage of gravity flow but at certain low points pumping stations are used to push the flow uphill to the next drainage basin and set of lines. The City currently operates 49 pumping stations that range in capacity from 30 to 2,600 gallons per minute.

Our sewer collection system transports Greensboro's wastewater to two large water reclamation facilities. The wastewater is processed so that it can be returned to our streams with minimal environmental impact. The North Buffalo Facility and the T.Z. Osborne Facility are permitted to process up to 16 and 40 million gallons of wastewater per day, respectively.

Both City water reclamation facilities are large, complex, plants that use physical, chemical, and biological processes to clean the wastewater. It is screened and settled to remove most suspended materials, but the heart of the plant is a biological process that uses bacterial cultures to remove the largest part of the suspended and dissolved wastes that are produced within the city. This biological process, called activated sludge, is sensitive to temperature, high flows produced by rainfall leaking into sewers, and toxic discharges that can be produced by industries or even homes. This sensitivity to factors largely beyond the control of the operators of the plants makes them susceptible to process upsets that can result in discharging constituents beyond the amount permitted by regulating authorities.



**T. Z. Osborne Plant**  
(located off of Huffine Mill Road)



**North Buffalo Plant**  
(located off of White Street)

## Greensboro's Difficult Location

Many of Greensboro's residents recognize that our location is not ideal for water supply development; our streams are very small because we are at the "top" of the watershed where our streams drain limited amounts of land. What they do not recognize is that this makes wastewater reclamation very difficult also. The permitting of treated wastewater discharges makes the assumption that streamflow is at the lowest volume so as to offer the protection needed when streamflow is at its lowest. In North Carolina, this means the "7 Q 10" flow, or the lowest seven day flow expected every ten years. The permit limits for discharges takes this level of stream protection into account in calculating the limits; yet it applies 24 hours per day, 7 days per week, 365 days per year. Since Greensboro's limits are calculated for discharging to such small streams, our limits are very low. Not only does North Carolina have some of the most stringent stream standards in the country, Greensboro is a large city located on very small streams. Our discharge flow constitutes over 97% of the stream below our discharge points at the lowest stream-flows; therefore our permits are written so as to protect the streams at all times as though such minimal flow was present.



**Lake Townsend**

## Treatment Plant Performance

The City of Greensboro's treatment plants operate under National Pollutant Discharge Elimination System permits, most commonly known as NPDES. These are highly complex permits that include monitoring requirements and discharge limits, some of which vary from season to season and have different maximums for daily values, weekly averages, monthly averages, and quarterly averages. Some limits protect streams from oxygen depletion, such as biochemical oxygen demand (BOD) and ammonia-nitrogen (which exerts oxygen demand over a delayed yet prolonged basis). There are other limits that work to protect aquatic life in the receiving stream such as metals like cadmium or selenium or other constituents like fluoride or cyanide. These constituents are limited as low as 2.0 parts per billion and in many cases are lower than drinking water standards, because aquatic life is more sensitive than humans to these materials. One standard, fecal coliform, is designed to test for indicator bacteria to determine whether or not sufficient chemicals have been applied to disinfect the flow prior to discharge. The permits are complex and can be viewed at our treatment plants upon request.



Compliance with these permits requires that our laboratory must conduct over 10,500 tests per year. Any one of these tests may result in a value that causes us to violate the limits of the NPDES permit. When a sample is taken at its specified time, to even accidentally drop it or allow it to linger longer than permitted before refrigeration or analysis can result in a violation. There are some limits, such as cyanide, fluoride, selenium, and cadmium, over which the operators of the treatment plant have no control other than through regulating what industry and households can discharge to the sewers.

During 2007 the Water Resources Department treated over 10.7 billion gallons of wastewater and returned it to our streams. We are proud of the outstanding performance of these facilities that was made possible by the dedicated efforts of the professionals who operate, maintain, and conduct tests for these facilities. However, despite these efforts we reported the following violations of the NPDES permit to the state. Each and every one of these was reported to the State of North Carolina in compliance with all reporting regulations and is included at the end of this report as Table 1 (T. Z. Osborne) and Table 2 (North Buffalo). There were no detected environmental impacts from any of these permit excursions.



**Clean Water returned  
to our streams**

## Collection System Performance

The City of Greensboro operates a sewage collection system comprised of 1,548 miles of gravity line, 37,973 manholes, 49 pump stations, and 42.3 miles of pressurized sewage force main. The system is subject to many rules and regulations that are now in effect. Most notably, if sewage escapes from the collection system for whatever reason and exceeds 1,000 gallons, it must be reported to all outlets of the news media. In addition, all spills of any volume reaching a water body must be reported to the State.

Sewage spills from a collection system can be caused by a number of reasons. Tree roots can find their way into sewer lines obstructing them, grease from residences or commercial establishments can collect in sewers and obstruct them, foreign objects can be dropped in sewers or manholes, rainwater can find its way into sewers overloading them, and pump stations can fail for mechanical or electrical reasons. Greensboro, like all cities, has experienced these problems in the last year of operation. A list of sewage spills in excess of 1,000 gallons that reached surface waters is included at the end of this report as Table 3. There were no detected environmental impacts from any of these incidents.



**Bledsoe Pump Station**

## System Improvements

The City of Greensboro has an on-going cleaning and inspection program to monitor and maintain our sewer system, including rodding, high pressure flushing, and closed circuit television inspection of lines. The City has an aggressive program to rehabilitate old leaking sewer lines to begin reducing the amount of rainwater entering our collection system. Spending for rehab exceeds \$3 million per year.

We are also enhancing our regulation of grease discharge in those areas where we are experiencing grease buildup in lines. While we maintain generators at many stations and can move mobile generators to the others, we are investigating the installation of automatic backup at stations that experience repeat loss of power that cannot be restored quickly. It should be noted that of the 10.7 billion gallons of sewage produced in Greensboro in 2007, 84,000 gallons escaped our system, which is only 8 gallons per million transported.



Sewer Line Rehabilitation

To address the problem of sewer overflows in the Latham Park and Lake Daniel areas, we embarked on an improvement project in 2003. The North Buffalo Sanitary Sewer Project will include the installation of over nine miles of pipe, the construction of a new pump station, and a force main that will divert flow from our near capacity North Buffalo treatment facility, to the upgraded South Buffalo system. The project is estimated to cost \$48.6 million and expected to conclude in late 2008.

## Fats, Oils and Grease (FOG) Program



FOG Mascot  
"Grease Gremlin"

It is the duty and responsibility of the City of Greensboro Water Resources Department to prevent the excessive introduction of oil and grease into the sanitary sewer system and the wastewater treatment plants. This policy is designed to outline, implement and enforce oil and grease discharge rules and to have an educational program for both residential and commercial users. This policy is applicable to all "Food Service Establishments" that discharge wastewater containing grease to the City of Greensboro Sanitary Sewer System. In order to reduce sewer blockages, Food Service Establishments discharging wastewater that contains grease to the City of Greensboro sanitary sewer system must install and maintain a grease trap or grease interceptor to prevent grease from entering the sewer system. The accumulation of grease within sanitary sewer lines increases the potential to create sewer blockages. Sanitary sewer blockages can result in sanitary sewer overflows (SSOs), which may reach the surface waters of North Carolina.

Residential customers should also practice proper disposal of cooking grease by placing grease in sealed containers and discarding in the garbage. By reducing the amount of fats, oils and grease that enter the sewer system from homes and businesses, you can help to protect the environment by preventing sewer back-ups and overflows. For more information please visit our website at [www.greensboro-nc.gov/Water](http://www.greensboro-nc.gov/Water).

## Summary

The Greensboro Water Resources Department is proud that given the capacity of our treatment plants and the age of our collection system, our permit departures have been minimal, especially when compared to similar cities. We recognize however, that in the changing climate of environmental concern, total compliance is demanded by the public. For this reason, the City of Greensboro has embarked on a major capital outlay program to expand and enhance our treatment processes, as well as to begin refurbishing our collection system. This is being paid for in higher sewer and water user fees, but we feel that the public must support this major effort to protect our surface water resources.

**WATER RESOURCES ADMINISTRATION: 336-373-2055**

**T. Z. OSBORNE WATER RECLAMATION FACILITY: 336-373-7740**

**NORTH BUFFALO WATER RECLAMATION FACILITY: 336-373-5913**





**Table 1**  
**T.Z. Osborne Publicly Owned Treatment Work**  
**National Pollutant Discharge Elimination System (NPDES) Permit #NC0047384**

Month	Description	Number of Violations	Type of Violation(s)
January	Cadmium	2	Weekly Average
February	Cadmium	1	Weekly Average
March	Mercury	1	Daily Maximum
April	Mercury	1	Daily Maximum
May	Cadmium	3	Weekly Average
June	Cadmium	1	Weekly Average
October	Cadmium	1	Weekly Average
	Cyanide	1	Weekly Average
November	Cadmium	2	Weekly Average

**Table 2**  
**North Buffalo Publicly Owned Treatment Works**  
**National Pollutant Discharge Elimination System (NPDES) Permit #NC0024325**

Month	Description	Number of Violations	Type of Violation(s)
January	Cyanide	1	Daily Maximum
	Cyanide	2	Weekly Average
May	Cyanide	1	Weekly Average
	Mercury	1	Daily Maximum
August	Cyanide	1	Weekly Average
September	Cyanide	1	Weekly Average
October	Cyanide	1	Weekly Average
November	Cyanide	1	Weekly Average
December	Cyanide	1	Daily Maximum
	Cyanide	1	Weekly Average

**Notice:** There were no environmental impacts noted for either reclamation plant.

**Definitions:**

Daily Maximum-Maximum level per day

Weekly Average-Average amount reached per week

**Table 3**  
**Sewage Spills from Collection System Exceeding 1,000 Gallons**

<b>Permittee</b>	<b>Permit Number</b>	<b>Incident Started</b>	<b>Volume Reaching Surface Water</b>	<b>Surface Water Name</b>	<b>Location</b>	<b>Probable Cause</b>
T.Z. Osborne	NC0047384	1/22/2007	2,500	South Buffalo	1721 Rainbow Rd	<b>Grease</b>
North Buffalo	NC0024325	2/09/2007	1,000	Horsepen Creek	5717 N. Lake Dr	Grease and Debris in line
North Buffalo	NC0024325	2/22/2007	1,000	Brush Creek	6116 Muirfield Dr	Grease
North Buffalo	NC0024325	3/02/2007	14,000	North Buffalo # 1	2200 Fairview St	Severe Natural Condition and Inflow & Infiltration
North Buffalo	NC0024325	3/02/2007	22,000	North Buffalo # 2	1321 Latham Rd	Inflow & Infiltration
North Buffalo	NC0024325	4/15/2007	4,000	North Buffalo # 2	1018 Battleground Ave	Inflow & Infiltration
North Buffalo	NC0024325	4/15/2007	2,500	North Buffalo # 1	2200 Fairview St	Inflow & Infiltration
North Buffalo	NC0024325	4/15/2007	8,000	North Buffalo # 2	1321 Latham Rd	Inflow & Infiltration
North Buffalo	NC0024325	5/23/2007	25,000	South Buffalo	1625 Oakleigh Dr	Pipe Failure (Break)
North Buffalo	NC0024325	7/13/2007	2,500	Horsepen Creek	2783 Horsepen Creek Rd	Gasket Leaking
North Buffalo	NC0024325	9/24/2007	1,500	South Buffalo	1315 Ranhurst Rd (Sewer Lift Station)	Equipment Failure